

March 1, 2005
Case No.: AUS920010132US1 (9000/29)
Serial No.: 09/903,721
Filed: July 12, 2001
Page 2 of 15

CLAIM LISTING:

A complete listing of the currently pending claims reads as follows:

1. (Original) A method of operating a plurality of disks having units of storage allocation, comprising:
 - providing a first tier of at least one disk, the first tier storing at least one popular unit;
 - providing a second tier of at least one disk, the second tier storing at least one unpopular unit;
 - powering on at least one first tier disk;
 - powering down the second tier;
 - determining whether a request for a unit requires processing on the first tier or second tier;
 - accessing the requested unit if the requested unit requires processing on the first tier; and
 - powering on a second tier disk to copy the requested unit from the second tier disk to a first tier disk, if the requested unit is stored on the second tier.

March 1, 2005

Case No.: AUS920010132US1 (9000/29)

Serial No.: 09/903,721

Filed: July 12, 2001

Page 3 of 15

2. (Previously Presented) The method of claim 1 wherein said step of powering on a second tier disk comprises:
 - determining if at least one first tier disk has adequate space to process a requested unit;
 - copying the requested unit from the second tier disk to the first tier disk if at least one first tier disk has adequate space; and
 - generating adequate space on the first tier if at least one first tier disk does not have adequate space.
3. (Original) The method of claim 2 further comprising:
 - determining if a first tier unit has become unpopular; and
 - transferring the unpopular first tier unit to a second tier disk.
4. (Original) The method of claim 3 further comprising:
 - determining if the unpopular first tier unit has been modified; and
 - transferring only modified unpopular first tier units to the second tier.
5. (Currently Amended) The method of claim 1 wherein providing the first tier comprises assigning one or more of the disks to the first tier.
6. (Original) The method of claim 1 wherein the first tier disks comprise high-performance hard drives.
7. (Original) The method of claim 1 wherein the second tier disks comprise low-power hard drives.

March 1, 2005

Case No.: AUS920010132US1 (9000/29)

Serial No.: 09/903,721

Filed: July 12, 2001

Page 4 of 15

8. (Original) The method of claim 1 wherein the unit comprises at least one member selected from a group consisting of: a file, a portion of a file, a file system block, a combination of files, and a suitable subdivision of information.

9. (Original) The method of claim 1 wherein the popular unit comprises a unit meeting or exceeding a condition limit, and the unpopular unit comprises a unit not meeting the condition limit.

10. (Original) The method of claim 8 wherein the condition limit is determined based on usage factors.

11. (Original) A computer usable medium including a program for operating a plurality of disks having units of storage allocation, comprising:

computer readable program code for providing a first tier of at least one disk, the first tier storing at least one popular unit;

computer readable program code for providing a second tier of at least one disk, the second tier storing at least one unpopular unit;

computer readable program code for powering on at least one first tier disk;

computer readable program code for powering down the second tier;

computer readable program code for determining whether a request for a unit requires processing on the first tier or second tier;

computer readable program code for accessing the requested unit if the requested unit requires processing on the first tier; and

computer readable program code for powering on a second tier disk to copy the requested unit from the second tier disk to a first tier disk, if the requested unit is stored on the second tier.

March 1, 2005

Case No.: AUS920010132US1 (9000/29)

Serial No.: 09/903,721

Filed: July 12, 2001

Page 5 of 15

12. (Original) The computer readable program code of claim 11 further comprising:

- computer readable program code for determining if at least one first tier disk has adequate space to process a requested unit;
- computer readable program code for copying the requested unit from the second tier disk to the first tier disk if at least one first tier disk has adequate space;
- computer readable program code for creating the requested unit on the first tier; and
- computer readable program code for generating adequate space on the first tier.

13. (Original) The computer readable program code of claim 12 further comprising:

- computer readable program code for determining if a first tier unit has become unpopular; and
- computer readable program code for transferring the unpopular first tier unit to a second tier disk.

14. (Original) The computer readable program code of claim 13 further comprising:

- computer readable program code for determining if the unpopular first tier unit has been modified; and
- computer readable program code for transferring only modified unpopular first tier units to the second tier.

March 1, 2005

Case No.: AUS920010132US1 (9000/29)

Serial No.: 09/903,721

Filed: July 12, 2001

Page 6 of 15

15. (Original) The computer readable program code of claim 11 wherein providing the first tier comprises assigning a portion of the disks to the first tier.

16. (Original) The computer readable program code of claim 11 wherein the first tier disks comprise high-performance hard drives.

17. (Original) The computer readable program code of claim 11 wherein the second tier disks comprise low-power hard drives.

18. (Original) The computer readable program code of claim 11 wherein the unit comprises at least one member selected from a group consisting of: a file, a portion of a file, a file system block, a combination of files, and a suitable subdivision of information.

19. (Original) The computer readable program code of claim 11 wherein the popular unit comprises a unit meeting or exceeding a condition limit, and the unpopular unit comprises a unit not meeting the condition limit.

20. (Original) The computer readable program code of claim 18 wherein the condition limit is determined based on usage factors.

March 1, 2005

Case No.: AUS920010132US1 (9000/29)

Serial No.: 09/903,721

Filed: July 12, 2001

Page 7 of 15

21. (Previously Presented) A system for operating a plurality of disks having units of storage allocation, comprising:

means for providing a first tier of at least one disk, the first tier storing at least one popular unit;

means for providing a second tier of at least one disk, the second tier storing at least one unpopular unit;

means for powering on at least one first tier disk;

means for powering down the second tier;

means for determining whether a request for a unit requires processing on the first tier or second tier;

means for accessing the requested unit if the requested unit requires processing on the first tier; and

means for powering on a second tier disk to copy the requested unit from the second tier disk to a first tier disk, if the requested unit is stored on the second tier.

22. (Previously Presented) The method of claim 1 further comprising:

determining if at least one first tier disk has adequate space to process a requested unit;

generating adequate space on the first tier disk;

creating the requested unit on the first tier disk; and

copying the requested unit from the second tier disk to the first tier disk if at least one first tier disk has adequate space.

March 1, 2005

Case No.: AUS920010132US1 (9000/29)

Serial No.: 09/903,721

Filed: July 12, 2001

Page 8 of 15

23. (Previously Presented) The computer readable program code of claim 11 further comprising:
- computer readable code for determining if at least one first tier disk has adequate space to process a requested unit;
 - computer readable code for generating adequate space on the first tier disk;
 - computer readable code for creating the requested unit on the first tier disk; and
 - computer readable code for copying the requested unit from the second tier disk to the first tier disk if at least one first tier disk has adequate space.

March 1, 2005

Case No.: AUS920010132US1 (9000/29)

Serial No.: 09/903,721

Filed: July 12, 2001

Page 9 of 15

24. (Previously Presented) A method of operating a RAID system, the method comprising:

providing a first tier of at least one disk, the first tier storing at least one popular unit;

providing a second tier of at least one disk, the second tier storing at least one unpopular unit;

powering on at least one first tier disk;

powering down the second tier;

determining whether a request for a unit requires processing on the first tier or second tier;

accessing the requested unit if the requested unit requires processing on the first tier; and

powering on a second tier disk to copy the requested unit from the second tier disk to a first tier disk, if the requested unit is stored on the second tier.

25. (Previously Presented) A method of providing data storage on a multi-tiered disk system, the method comprising:

providing a RAID system, the RAID system including a first tier of at least one disk, the first tier storing at least one popular unit, and a second tier of at least one disk, the second tier storing at least one unpopular unit;

powering on at least one first tier disk;

powering down the second tier;

determining whether a request for a unit requires processing on the first tier or second tier;

accessing the requested unit if the requested unit requires processing on the first tier; and

powering on a second tier disk to copy the requested unit from the second tier disk to a first tier disk, if the requested unit is stored on the second tier.